

ENGINEERED TO PREVENT CONDENSATION

ArmaFlex[®] Class 1

Built-in water vapour barrier to reduce risk of corrosion under insulation

- // Class 1 fire classification according to BS476 Part 7 $\,$
- // Minimise long-term heat gain and reduce energy cost
- $/\!/$ Closed-cell structure increases resistance to water vapour

www.armacell.co.id









ArmaFlex Class 1

Built-in water vapour barrier to reduce risk of corrosion under insulation (CUI). Conserves energy and reduces heat loss. Class 1 fire classification according to BS476 Part 7. Certified by leading international fire safety agencies. Fibre-free.

Easy to install



Prevent condensation



Reliable performance



// Closed-cell structure

Minimises moisture permeation to ensure long-term protection against corrosion under insulation. Removes the need for an additional water vapour barrier.

// Good fire performance

FM Approved for entire range of insulation thickness. Certified to conform to safety, reliability and performance standards of various local fire safety bodies.

// Energy efficient

Low thermal conductivity minimises energy losses to give long term energy savings.

// Environmentally safe

Zero Ozone Depletion Potential and Global Warming Potential; rated "Excellent" by Singapore Green Building Council.

// Safer indoor air quality

Free of fibre and formaldehyde, and GREENGUARD® Gold certified for low emissions of volatile organic compounds.

// Easy-to-install

Highly flexible elastomeric foam that can be installed quickly on irregular shapes and installations in tight spaces.



TECHNICAL DATA - ARMAFLEX CLASS 1

Brief description	ArmaFlex Class 1 is a flexible insulation material that reliably protects against water vapour ingress due to its closed-cell structure. No additional water vapour barrier is required.										
Material type	Elastomeric foam based on synthetic rubber.										
Colour	Black.										
Special features	Engineered wall: I increased.	ngineered wall: Increasing insulation wall thickness for tubes ensures that the surface temperature is maintained as the pipe diameter is icreased.									
Applications		ermal insulation/protection of pipes, air ducts and vessels (incl. elbows, fittings, flanges etc.) in air conditioning, refrigeration and coess equipment to prevent condensation and to save energy. Structure-borne noise reduction in service-water and waste-water itallations.									
Installation		ease refer to the ArmaFlex installation manual for advice. ArmaFlex can be used together with ArmaFlex 520 adhesive and ArmaFix® pehangers for a complete insulation system.									
Property	Value/Assessm	ent				Standard/Test method					
Temperature range											
Service temperature	Range	Minimun	n [°C]		Maximum [°C]						
	Full range	-50			+105	-					
	Remarks	+85 °C if	sheet or ta	pe is glued t	o the object with its whole surface.	-					
Thermal conductivity											
Declared thermal conductivity	θ_	-20 °C	+/-0 °C	+20 °C	+40 °C	GB/T 10295, GB/T 10296,					
	$\lambda_{d} \leq [W/[m \cdot K]]$	0.032	0.034	0.036	0.039	ASTM C518, EN ISO 8497					
Resistance to water vapour											
Water vapour diffusion resistance factor	µ ≥ 10,000	» 10,000									
Water vapour permeability	≤ 1.96 x 10 ⁻¹¹ g/(m·	s∙Pa)				- GB/T 17146					
Resistance to water											
Water absorption by vacuum	≤ 10%					GB/T 17794					
Fire performance											
Surface spread of flame	Class 1					BS 476 Part 7					
Flammability of plastic materials	V-0 rating					UL 94					
FM Approved	Yes					FM 4924					
Practical fire behaviour	Does not generate	flaming drop	olets.								
Other fire class	Product conforms Singapore.										
Mechanical properties											
Resilience after compression relief	≥ 70%					GB/T 6669					
Weather and UV resistance											
UV resistance	For UV protection, should be protected				overing system is required. For outside use, ArmaFlex						
Health and environment											
Environmental aspect	Zero ODP and GW										
Environmental Product Declaration (EPD)	Type III EPD: Decl	aration numb	er 47891251	188.101.1, U	L Environment.						
Health aspects	Free of fibre and for GREENGUARD Go	UL2818									
Green building assessment	Singapore Green E	Building Prod	uct Certified	l: "Excellen	" rating.						
Other technical features											
Chemical resistance	Please consult pro	oduct test list									
Storage	Material shall be s (0°C to 35 °C).	stored in dry,	clean rooms	s at normal	relative humidity (50% to 70%) and ambient temperature						
Shelf (storage life)	Self-adhesive she	ets, tubes and	d tapes: 1 ye	ear.							

All data and technical information are based on results achieved under typical application conditions. Recipients of this information should, in their own interest and responsibility, clarify with our Technical department in due time whether or not the data and information apply to the intended application area.

Tube - standard (2.0m length)

neter uter ter		ter mm]	[DN]	(non-	D-series engineered	wall)	(non-e	F-series engineered	wall)	(eng	H-series gineered wa	all)	(eng	M-series gineered wa	all)
Insulation inner diameter [mm]	Cu pipe outer diameter [inch]	Fe pipe outer diameter [mm]	Nominal diameter	ltem	Average insulation thickness [mm]		ltem	Average insulation thickness [mm]		ltem	Average insulation thickness [mm]		ltem	Average insulation thickness [mm]	
6	1/4						C1-F-006	9.25	324	C1-H-006	14.00	180	C1-M-006	17.75	112
10	3/8		6				C1-F-010	9.25	264	C1-H-010	14.00	144	C1-M-010	17.75	100
12	1/2						C1-F-012	9.25	220	C1-H-012	14.00	128	C1-M-012	17.75	90
15	5/8	14	8	C1-D-015#	6.25	264	C1-F-015	9.25	180	C1-H-015	14.00	128	C1-M-015	17.75	80
20	3/4			C1-D-020	6.25	220	C1-F-020	9.25	144	C1-H-020	14.00	90	C1-M-020	18.75	72
22	7/8	22	15	C1-D-022	6.25	180	C1-F-022	9.25	128	C1-H-022	12.75	90	C1-M-022	18.75	60
25	1	25		C1-D-025	6.25	144	C1-F-025	9.25	108	C1-H-025	12.75	82	C1-M-025	19.25	50
28	1-1/8	28	20				C1-F-028	9.25	98	C1-H-028	13.25	72	C1-M-028	19.75	50
32	1-1/4	32					C1-F-032	9.25	84	C1-H-032	13.25	64	C1-M-032	19.75	40
35	1-3/8		25				C1-F-035	9.25	82	C1-H-035	13.75	58	C1-M-035	20.50	36
38	1-1/2	38					C1-F-038#	9.25	72	C1-H-038	13.75	54	C1-M-038	21.00	34
42	1-5/8		32				C1-F-042	9.25	60	C1-H-042	14.25	48	C1-M-042	21.00	30
45	1-3/4						C1-F-045#	9.25	50	C1-H-045	14.25	40	C1-M-045	21.50	24
48	1-7/8		40				C1-F-048#	9.25	50	C1-H-048#	14.25	40	C1-M-048	22.00	24
50							C1-F-050#	9.25	40	C1-H-050#	14.25	32	C1-M-050	22.00	24
54	2-1/8						C1-F-054	9.25	40	C1-H-054	14.25	36	C1-M-054	22.00	24
57	2-1/4	57					C1-F-057#	9.25	40	C1-H-057#	14.75	32	C1-M-057#	22.00	22
60	2-3/8		50				C1-F-060	9.25	32	C1-H-060	14.75	28	C1-M-060	22.50	20
64													C1-M-064#	22.50	16
67	2-5/8									C1-H-067	14.75	24	C1-M-067#	22.50	16
76	3	76								C1-H-076	14.75	22	C1-M-076	23.00	14
80	3-1/8									C1-H-080	15.00	18	C1-M-080	23.00	14
89	3-1/2	89	80							C1-H-089	15.25	18	C1-M-089	24.50	12
108	4-1/4	108								C1-H-108#	15.50	16	C1-M-108	25.00	10
114	4-1/2	114	100							C1-H-114	15.50	16	C1-M-114	25.50	10
133	5-1/4												C1-M-133#	25.50	6
140			125										C1-M-140#	26.00	6
168			150												

"Made to order. Minimum order quantities and different lead times may apply. Self-adhesive option available upon request. Minimum order quantities and different lead times may apply.

Sheet - continuous roll

Insulation		1.00m widt	h		1.22m widt	ו		1.50m width	
thickness [mm]	ltem	Length [m]	Carton content [sqm]	ltem	Length [m]	Carton content [sqm]	Item	Length [m]	Carton content [sqm]
6	C1-06100CS-9	9	9.00				C1-06150CS-S15	15	22.50
9				•			C1-09150CS-S10	10	15.00
13							C1-13150CS	8	12.00
16							C1-16150CS	7	10.50
19							C1-19150CS	6	9.00
25	_						C1-25150CS	4	6.00
25							C1-25150CS-8#	8	12.00
28							C1-28150CS#	4	6.00
30				C1-30122CS-6	6	7.32	C1-30150CS#	3	4.50
30				C1-30122CS-8	8	9.76	C1-30150CS-6#	6	9.00
32							C1-32150CS	3	4.50
32							C1-32150CS-C#	3	4.50
40	C1-40100CS-3	3	3.00						
50	C1-50100CS-3	3	3.00	-					

[#]Made to order. Minimum order quantities and different lead times may apply. Self-adhesive option available upon request. Minimum order quantities and different lead times may apply.

Tube - standard (2.0m length)

ion iameter outer er outer outer		uter [mm]	ter [mm]	ter mm]	ter mm]	ter mm]	[DN]	R-series (engineered wall)			T-series (engineered wall)			U-series (non-engineered wall)			V-series (non-engineered wall)	
Insulation inner diameter [mm]	Cu pipe outer diameter [inch]	Fe pipe ou diameter [Nominal diameter	ltem	Average insulation thickness [mm]		ltem	Average insulation thickness [mm]		ltem	Average insulation thickness [mm]		ltem	Average insulation thickness [mm]				
6	1/4																	
10	3/8		6	C1-R-010	24.00	60	C1-T-010#	31.00	32									
12	1/2			C1-R-012	24.00	56	C1-T-012	31.00	32									
15	5/8	14	8	C1-R-015	24.00	48	C1-T-015	32.00	32	C1-U-015	40.00	22						
20	3/4			C1-R-020	24.00	40	C1-T-020	32.00	24	C1-U-020	40.00	22	C1-V-020#	50.00	12			
22	7/8	22	15	C1-R-022	24.00	40	C1-T-022	32.00	24	C1-U-022	40.00	18	C1-V-022	50.00	12			
25	1	25		C1-R-025	24.00	36	C1-T-025	32.00	24	C1-U-025	40.00	18	C1-V-025#	50.00	12			
28	1-1/8	28	20	C1-R-028	24.00	32	C1-T-028	33.50	22	C1-U-028	40.00	16	C1-V-028	50.00	12			
32	1-1/4	32		C1-R-032	26.00	24	C1-T-032	33.50	20	C1-U-032	40.00	16	C1-V-032#	50.00	10			
35	1-3/8		25	C1-R-035	26.00	24	C1-T-035	35.00	18	C1-U-035	40.00	12	C1-V-035	50.00	10			
38	1-1/2	38		C1-R-038	26.00	24	C1-T-038	35.00	16	C1-U-038	40.00	12	C1-V-038#	50.00	8			
42	1-5/8		32	C1-R-042	26.00	22	C1-T-042	36.50	16	C1-U-042	40.00	12	C1-V-042	50.00	8			
45	1-3/4			C1-R-045	26.50	20	C1-T-045	36.50	12	C1-U-045	40.00	12	C1-V-045#	50.00	8			
48	1-7/8		40	C1-R-048	26.50	20	C1-T-048	37.50	12	C1-U-048	40.00	12	C1-V-048	50.00	8			
50				C1-R-050	26.50	20	C1-T-050	37.50	12									
54	2-1/8			C1-R-054	27.50	20	C1-T-054	38.00	10	C1-U-054	40.00	10	C1-V-054	50.00	8			
57	2-1/4	57		C1-R-057#	27.50	16	C1-T-057#	38.50	10				C1-V-057#	50.00	8			
60	2-3/8		50	C1-R-060	28.00	16	C1-T-060	39.00	10	C1-U-060	40.00	10	C1-V-060	50.00	8			
64				C1-R-064#	28.00	14	C1-T-064#	39.00	10									
67	2-5/8			C1-R-067#	28.00	14	C1-T-067	39.50	8	C1-U-067	40.00	8	C1-V-067	50.00	6			
76	3	76		C1-R-076	29.00	12	C1-T-076	39.50	8	C1-U-076	40.00	8	C1-V-076	50.00	4			
80	3-1/8			C1-R-080	29.00	12												
89	3-1/2	89	80	C1-R-089	29.50	12	C1-T-089	41.50	8	C1-U-089	40.00	8	C1-V-089	50.00	4			
108	4-1/4	108		C1-R-108#	31.00	8	C1-T-108#	42.50	6									
114	4-1/2	114	100	C1-R-114	31.50	6	C1-T-114#	43.00	4	C1-U-114	40.00	4	C1-V-114#	50.00	4			
133	5-1/4			C1-R-133#	31.50	6	·	·										
140			125	C1-R-140#	32.00	4	C1-T-140	44.50	4	C1-U-140#	40.00	4	C1-V-140#	50.00	4			
168			150	C1-R-168#	32.00	4	C1-T-168#	44.50	4	C1-U-168#	40.00	4	C1-V-168#	50.00	4			

"Made to order. Minimum order quantities and different lead times may apply. Self-adhesive option available upon request. Minimum order quantities and different lead times may apply.

ArmaFlex Class 1 Accessories

ltem	Carton content	Article description
AS-ATAPEC1T-9M	24 rolls	ArmaFlex Class 1 insulation tape (3mm thickness x 50mm width x 9.14 m)

Accessories						
Carton content	Article description					
4 x 3.78 litre cans	ArmaFlex 520 adhesive					
4 x 1.0 litre cans	Solvent-free cleaner for use with ArmaFlex adhesive					
1	ArmaFlex cutting set (3 knives and 1 sharpening stone)					
	4 x 3.78 litre cans					



//Cover Photo (Top)

Pudong International Airport, Shanghai, China 🚽

Effective against water vapour ingress without any additional water vapour barrier

Located directly on the coast, the Shanghai Pudong International Airport is exposed to very high humidity levels. Hence, the cooling-water lines of the air-conditioners and the hot-water lines in the arrival and departure building, in the 50,000m² freight area and in the airport hotel, as well as the air conduits in the terminal building were insulated with ArmaFlex.

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. Despite taking every precaution to ensure that said data and technical information are up to date, Armacell does not make any representation or warranty, express or implied, as to the accuracy, content or completeness of said data and technical information. Armacell also does not assume any liability towards any person resulting from the use of said data or technical information. Armacell reserves the right to revoke, modify or amend this document at any moment. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. This document does not constitute nor is part of a legal offer to sell or to contract.

At Armacell, your trust means everything to us, so we want to let you know your rights and make it easier for you to understand what information we collect and why we collect it. If you would like to find out about our processing of your data, please visit our Data Protection Policy.

© Armacell, 2021. All rights reserved. Trademarks followed by ® or ™ are trademarks of the Armacell Group

00033 | ArmaFlex Class 1 | ArmaFlex | ProductDS | 102021 | en-II

ABOUT ARMACELL

As the inventors of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal, acoustic and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With 3,000 employees and 23 production plants in 15 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for high-tech and lightweight applications and next generation aerogel blanket technology.

