

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

ArmaGel Rail

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Thermal insulation for pipe-work, vessels and related installation

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Armacell GmbH
Robert-Bosch-Straße 10
48153 Münster

Telephone no. +49 (0) 251 - 7603-200

Fax no. +49 (0) 251 - 7603-561

e-mail info.de@armacell.com

Information provided by / telephone

Dr. Heribert Quante, Tel.: +49 (0) 251 - 7603-227

Advice on Safety Data Sheet

heribert.quante@armacell.com

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

-

Signal word

-

Hazard statement(s)

-

Hazard statements (EU)

EUH210 Safety data sheet available on request.

Precautionary statement(s)

-

Labelling information

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Does not contain any substances greater than 0.1% listed as carcinogenic by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union). See also Section 11.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Classification (EC) 1272/2008 (CLP)	Additional information Concentration	%
1	Manganese ferrite black spinel C.I. Pigment Black 26, C.I. No. 77494			
	68186-94-7 269-056-3 - -	-	>= 5.00 - < 10.00	wt%
2	magnesium-hydroxide			
	1309-42-8 215-170-3 - -	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	>= 5.00 - < 10.00	wt%
3	Aluminium massive			
	7429-90-5 231-072-3 - -	-	< 2.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

Additional ingredients

No	Substance name	Classification (EC) 1272/2008 (CLP)	Additional information Concentration	%
1	Glass, oxide, chemicals			
	65997-17-3 266-046-0 - -	-	>= 25.00 - < 50.00	wt%
2	Silica gel, trimethylsilylated			
	126877-03-0 928-101-3 -	-	>= 25.00 - < 50.00	wt%
3	silicon dioxide, chemically prepared			
	7631-86-9 231-545-4 - -	-	>= 10.00 - < 25.00	wt%
4	polyethylene			
	9002-88-4 - - -	-	>= 5.00 - < 10.00	wt%

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

3.3 Other information

Glass, oxide, chemicals (CAS 65997-17-3) from continuous filament, non-respirable

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In case of ambient fire possible release of: Oxides of silica; Aluminium oxide; Iron oxide

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. avoid dust development

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Collect mechanically. When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

7.1 Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust.

General protective and hygiene measures

Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Do not inhale dust. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in a dry place. Protect from heat and direct sunlight.

Storage stability

Value max. 3 year(s)

Incompatible products

Protect against humidity

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	silicon dioxide, chemically prepared	7631-86-9	231-545-4
	List of approved workplace exposure limits (WELs) / EH40		
	Silica, amorphous inhalable dust		
	WEL long-term (8-hr TWA reference period)	6	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Silica, amorphous respirable dust		
	WEL long-term (8-hr TWA reference period)	2.4	mg/m ³
2	Dust		
	List of approved workplace exposure limits (WELs) / EH40		
	Dust respirable		
	WEL long-term (8-hr TWA reference period)	4	mg/m ³
	Comments	see Definition 44 "Dust"	
	List of approved workplace exposure limits (WELs) / EH40		
	Dust inhalable		
	WEL long-term (8-hr TWA reference period)	10	mg/m ³
	Comments	see Definition 44 "Dust"	
3	Manganese ferrite black spinel C.I. Pigment Black 26, C.I. No. 77494	68186-94-7	269-056-3
	2017/164/EU		
	Manganese and inorganic manganese compounds (as manganese)		
	WEL long-term (8-hr TWA reference period)	0,2 (Inhal)	mg/m ³
	2017/164/EU		
	Manganese and inorganic manganese compounds (as manganese)		
	WEL long-term (8-hr TWA reference period)	0,05 (Resp)	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Manganese and its inorganic compounds (as Mn) Inhalable fraction		
	WEL long-term (8-hr TWA reference period)	0.2	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Manganese and its inorganic compounds (as Mn) Respirable fraction		
	WEL long-term (8-hr TWA reference period)	0.05	mg/m ³

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

4	Aluminium massive	7429-90-5	231-072-3
List of approved workplace exposure limits (WELs) / EH40			
Aluminium metal inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m ³
List of approved workplace exposure limits (WELs) / EH40			
Aluminium metal respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m ³

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

Dust mask

Eye / face protection

Safety glasses (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product.

Appropriate Material Leather

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	solid
Form/Colour	solid; Blanket grey
Odour	No data available
pH value	No data available
Boiling point / boiling range	No data available
Melting point/freezing point	No data available
Decomposition temperature	No data available
Flash point	No data available
Ignition temperature	No data available
Flammability	not flammable
Lower explosion limit	No data available

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	
Relative density	
No data available	
Density	
Value	160 - 240 g/cm ³
Source	supplier
Solubility	
No data available	
Partition coefficient n-octanol/water (log value)	
No data available	
Viscosity	
No data available	
Particle characteristics	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, when used as directed.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Moisture.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Repeated and prolonged exposure to high dust concentrations may lead to irritation of the respiratory tract.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.
dispose of in accordance with local regulation.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Trade name: ArmaGel Rail

Current version : 1.0.0, issued: 27.05.2021

Replaced version: -, issued: -

Region: GB

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Further information

Authors responsible for the compilation of the material safety data sheet: UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de.

The information is based on our current knowledge however it does not represent a guarantee of product properties nor does it create any legal obligation.

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 776859