

ENERGY-EFFICIENT LIGHTWEIGHT SOLUTIONS

Railway Technology

Improving space and energy efficiency is a key challenge for today's railway industry. Armacell's thermal and acoustic insulation products and sustainable foam cores optimise the weight-to-performance ratio. What's more, they increase passenger safety and comfort. Our innovative solutions are used in rail vehicles all over the world, where they ensure safe and smooth operation. **Get on track to a greener tomorrow.**

www.armacell.com



MEETING THE
HIGHEST
REQUIREMENTS



 **armacell**[®]
MAKING A DIFFERENCE AROUND THE WORLD

ABOUT ARMACELL

We are the inventors of flexible foams for equipment insulation and a leading provider of engineered foams. Our lightweight thermal, acoustic and mechanical solutions create sustainable value for our customers. Day in day out, our products significantly contribute to global energy efficiency and make a difference around the world. In meeting the challenges of megatrends, such as energy efficiency, lightweighting, the globalisation of food supplies and acoustic comfort, our product solutions stand out in terms of functionality and ease of installation.

3,200

employees worldwide
representing 70 different
nationalities

25

production facilities
in 17 countries on
4 continents

300+

active patents in
50 patent families



// Passionate

Dedicated and professionally minded employees with an entrepreneurial spirit are our greatest asset. They share a common set of core values: customer experience, commitment, empowerment and accountability, integrity and sustainability.

Armacell.

Making a difference around the world.

SOLUTIONS ENABLING ENERGY SAVINGS.

CUSTOMER-CENTRIC



We create genuine value for our customers, appreciate them as partners, and are committed to developing solutions tailored to their requirements. The outcome is added value for our business partners and, most significantly, energy savings and a longer working life for their critical equipment.

INNOVATIVE



We innovate in new technologies and focus on products that deliver superior technical performance. With our ArmaFlex® Rail products we presented the first closed-cell insulation materials to meet the highest requirements of EN 45545-2. Our most recent product launches include ArmaPET® Shape, the first PET-based particle foam, and ArmaGel® Rail, the next-generation aerogel technology offering up to five times superior thermal performance compared to conventional insulation materials.

SUSTAINABLE



We dedicate our business activities to advancing and optimising energy efficiency for equipment and to closing the loop to achieve a more sustainable use of resources. Our ArmaFlex insulation saves 140 times more energy than is required for its production and prevents the emission of several million tonnes of CO₂ per year. Our ArmaPET product portfolio is based on 100 percent recycled PET bottles and is fully recyclable.

2,000,000,000

RECYCLED PET BOTTLES
USED IN OUR FOAM
PRODUCTION

5

MILLION m³
OF INSULATION
PRODUCED PER
YEAR

CONTENTS

02

INTRODUCTION

- 02** About Armacell
- 03** Solutions enabling energy savings

04

OUR SOLUTIONS

- 04** Rail solutions
- 12** ArmaFlex Rail
- 14** ArmaGel Rail
- 16** ArmaComfort™ Rail
- 18** ArmaPET

24

CUSTOMER EXPERIENCE

- 20** Requirements
- 22** At your service
- 23** Track record

OUR SOLUTIONS FOR THE RAILWAY INDUSTRY.

THERMAL INSULATION

The energy required for heating and air conditioning passenger rail vehicles can account for 30 to 40 percent of the total energy use. With Armacell's thermal insulation, rail operators can reduce costs and meet the growing demand for increased energy efficiency and an enhanced weight-to-performance ratio.

// ArmaFlex Rail **1 2 6 10**


// ArmaGel Rail **1 2 3 5 9**

ACOUSTIC COMFORT

Optimising acoustic comfort is one of the most important factors in improving the overall customer experience and making railways more competitive with other transportation modes. Our ArmaComfort Rail products provide superior acoustic transmission reduction.

// ArmaComfort Rail **2 3 5 6 7 9**

LIGHTWEIGHT,
SPACE AND
ENERGY
SAVING






LIGHTWEIGHT STRUCTURES

The lighter the train, the more energy efficient and cost effective its operation. Their unique material and processing properties make our ArmaPET materials the ideal core solution for structural and interior elements in trains. Based on 100 percent recycled material and completely recyclable after their service life, our ArmaPET solutions contribute to a more sustainable and safe operation.

// ArmaPET 2 4 5 6 7 8 10



Rail is the most environmentally friendly mode of transportation. But increased comfort requirements, such as air conditioning, comfortable seats and tables, easily accessible lavatories and CET tanks have made trains heavier and more expensive to operate. To maintain the environmental advantage, energy efficiency has to be improved – without compromising passenger safety and comfort.

WHETHER NEW OR TRIED-OR-TESTED, ARMACELL TECHNOLOGIES CAN HELP TO MAKE TRAINS LIGHTER, MORE EFFICIENT AND MORE COMFORTABLE FOR PASSENGERS.

1 HVAC

Wherever energy is transported, some of the valuable resource is lost when equipment is poorly insulated or not insulated. Insulating HVAC equipment – the second largest energy consumer – with our dedicated ArmaFlex Rail or ArmaGel Rail solutions offers enormous energy-saving potential. They protect mechanical equipment against heat loss, support its long-term function and reduce operating costs.

// ArmaFlex Rail

// ArmaGel Rail



Our ArmaFlex Rail range includes halogen-free, Microban-protected and coated solutions. The high-performance ArmaGel Rail products offer ultimate energy efficiency without sacrificing limited space.



PROTECTION THAT LIVES ON
MICROBAN

Unprotected
surface




Protected with
Microban®




Armacell is the only manufacturer of flexible technical insulation materials to provide products with built-in anti-microbial protection: ArmaFlex Rail SD and ArmaFlex Rail SD-C are equipped with Microban®. These antimicrobial additives provide 'proactive' protection against harmful bacteria, mould and mildew.



MORE
**SAFETY
AND COMFORT**
ON THE
TRACKS



To prevent condensation in floor constructions our closed-cell ArmaFlex Rail forms a reliable vapour barrier and mitigates the risk of corrosion.



2 FLOOR

High strength, low weight and excellent fatigue and durability properties make ArmaPET Struct today's benchmark for a sustainable alternative to conventional materials in rail vehicle construction. ArmaGel Rail offers superior thermal insulation with ultra-thin thicknesses and ArmaComfort Rail effectively reduces sound transmission without compromising on space.

- // ArmaPET Struct
- // ArmaGel Rail
- // ArmaComfort Rail
- // ArmaFlex Rail



3 WHEEL AREA

Rolling noise increases with the train speed and is the most important noise source in high-speed trains. State-of-the-art insulation with ArmaComfort Rail ensures a marked reduction of airborne noise in rail vehicles.

- // ArmaComfort Rail
- // ArmaGel Rail

THE LIGHTER THE TRAIN, THE MORE ENERGY EFFICIENT AND COST EFFECTIVE ITS OPERATION. LIGHTWEIGHT CORE FOAMS AND INSULATION MATERIALS IMPROVE THERMAL AND ACOUSTIC COMFORT ON THE RAILS.

4 TABLES

In sandwich constructions our lightweight foam cores add stiffness and durability to the panel. They can be coated with a wide variety of materials, e.g. easy-to-clean skins. A solvent-resistant surface allows cleaning in line with the rail industry's high hygiene standards.

// ArmaPET Struct



5 DOORS

Our new ArmaGel Rail prevents energy losses in rail applications without sacrificing space. ArmaComfort Rail efficiently minimises the noise level in trains.

// ArmaGel Rail

// ArmaComfort Rail

// ArmaPET Struct



The combination of weight-saving potential, environmental benefits and excellent mechanical and fire properties make ArmaPET Struct the material of choice for railway composite structures.



6 WALLS AND CEILING

Lightweight material combinations, tailored to a specific purpose, can help reduce operating costs and improve passenger comfort. Armacell's new thermal and acoustic solutions provide superior performance at super-thin thicknesses.

- // ArmaComfort Rail
- // ArmaPET Struct
- // ArmaFlex Rail



7 PARTITION WALL

Partition walls in rail vehicles must be durable, easy-to-clean and equipped with all the required properties. As saving space is crucial in this area, our ArmaComfort Rail products are the optimal sound insulation solution.

- // ArmaComfort Rail
- // ArmaPET Struct

8 FRONT END

To reduce weight without compromising passenger safety, composite materials must meet the stringent fire, smoke and toxicity requirements of the rail standard EN 45545-2. In combination with appropriate laminates, ArmaPET Struct cored sandwich structures achieve the highest classification, HL3, R1 – which qualifies the material for use in all types of trains including metro, sleeper and couchette cars.

- // ArmaPET Struct

BASED ON
100%
RECYCLED
PET




9 BOARDING AREA

No matter whether folding, pivoting or sliding steps, we provide solutions for optimised thermal and acoustic insulation for the boarding devices. Our high-performance, space-saving ArmaGel Rail insulation can be integrated directly into prefabricated elements. ArmaComfort Rail offers exceptional sound transmission loss across a broad frequency range with super-thin wall thicknesses.

// ArmaGel Rail

// ArmaComfort Rail



10 LAVATORY MODULE

The supply of fresh water to washrooms and the on-board restaurant and the hygienic disposal of wastewater are taken for granted in modern trains. Our ArmaFlex Rail insulation protects hot and cold water pipes against inadmissible temperature fluctuations, which can lead to a contamination with legionella bacteria. The dust- and fibre-free material prevents condensation and thermal losses and the Microban technology offers protection against the development of bacteria and mould. Sandwich constructions based on ArmaPET ensure low life-cycle costs and greater passenger comfort. The lavatory module is just one of many possible interior applications.

// ArmaFlex Rail

// ArmaPET Struct



A high-speed train, primarily red and white, is shown in motion on a track. The background consists of a blurred city skyline with tall buildings, suggesting speed. Overhead power lines and support structures are visible above the train. The overall scene is bright and clear, with a blue sky.

OUR INCREASINGLY CONNECTED,
BUSIER WORLD NEEDS
TRANSPORT THAT IS LIGHTER,
SAFER AND MORE RELIABLE
THAN EVER BEFORE.

By combining conventional engineering, new technologies and creative thinking, Armacell delivers solutions that allow great ideas to come to life.

TRIED-AND-TESTED TECHNOLOGY



MOST
COST-EFFECTIVE
WAY TO SAVE
ENERGY

ARMAFLEX RAIL. INDUSTRY-LEADING INSULATION SOLUTIONS.

With our ArmaFlex Rail range we offer the first flexible closed-cell insulation with integrated fire protection for the international railway industry. Our system solutions for insulating HVAC/R and plumbing equipment ensure more safety and comfort on the tracks. They have also been successfully installed to insulate body shell parts and doors and have proven themselves as a reliable solution for rattle protection and vibration dampening in various application areas.



ARMAFLEX RAIL SD



The first closed-cell insulation to achieve the **HL2**, R1 level according to EN 45545-2. It is also classified under the national fire protection standards NFPA 130, GOST 12.1.044-89 and DIN 5510-2. Microban technology provides protection against harmful microbes and prevents the growth of mould and mildew.

ARMAFLEX RAIL SD-C



Achieves **HL3**, R1, the most stringent hazard level and is also classified according to NFPA 130 and GOST. The product is equipped with a shiny, silver covering. The attractive surface is UV-resistant, protects the insulation against mechanical impact and is very easy to clean.

CONDENSATION CONTROL AND IMPROVED INDOOR AIR QUALITY

Our closed-cell insulation with low thermal conductivity and high resistance to water vapour transmission provides installations with reliable, long-term protection against energy loss and condensation. ArmaFlex Rail products have a 'built-in water vapour barrier'. Unlike conventional insulation materials which have to be protected against moisture penetration with a separate vapour barrier, in ArmaFlex the resistance to water vapour transmission is built up throughout the entire insulation thickness.

EASY TO INSTALL



EXCELLENT FIRE BEHAVIOUR



LIFE-CYCLE COST EFFECTIVE



CONDENSATION CONTROL

ENERGY EFFICIENT

CLEAN AND SIMPLE INSTALLATION

No other insulation material can be installed as reliably, cleanly, simply or as fast as ArmaFlex. Our great advantage in tight conditions and on complex equipment is the high flexibility of our material. The homogenous, three-dimensionally linked structure allows the insulation to be cut cleanly without releasing dust or fibres which could pose a health threat if breathed in. Application times can be further reduced by using self-adhesive sheets. We offer a complete range of accessories, such as adhesives and cleaners, which have been developed especially for our products and tested as a system.

ARMAFLEX RAIL ZH



The first halogen-free, closed-cell insulation to achieve the classification **HL2**, R1. Besides having very good flame-retardant properties and low smoke density, it also minimises the risk of secondary damage due to corrosive gases which can impair (electronic) equipment in a fire.

ARMAFLEX RAIL ZH-C



This halogen-free, coated material achieves the most stringent hazard level **HL3**, R1 and can be used in operating category 4 in underground track sections or tunnels.



Our ArmaFlex Rail range includes halogen-free, Microban-protected and coated solutions and meets the requirements of EN 45545-2.

SPACE MATERIAL FOR RAILWAY APPLICATIONS



ARMAGEL RAIL. INSULATION JUST GOT BETTER.

Our vision has always been to provide innovative technical insulation solutions to conserve energy and make a difference around the world. With our new ArmaGel products that vision is now a reality and we are entering a new era in high-performance insulation.

ULTRA-THIN INSULATION FOR ULTIMATE EFFICIENCY

As one of the lightest and thinnest insulation materials in the world, aerogels are predestined for the modern railway industry. Thanks to its exceptionally low thermal conductivity, ArmaGel Rail is one of the best insulation materials available today. It is up to 80 percent thinner than conventional insulation and offers the same thermal insulation properties with only a fraction of the insulation thickness.

SPACE-SAVING DESIGN

Whether high-speed, suburban or tram trains, technology aboard rolling stock is advancing fast and becoming increasingly complex. As more and more technical equipment is installed for passengers' comfort and safety, trains become heavier and the space for insulation is reduced. ArmaGel Rail offers ultimate energy efficiency without sacrificing precious space. This super-thin, high-performance thermal insulation allows up to 5-fold space savings. The versatile material can be used on HVAC equipment and in walls, ceilings, floor and door applications where it achieves particularly slim constructions. It ensures high energy savings and cost efficiency in the long term.

UP TO
80%
THINNER
than competing
insulation products

UP TO
5x
SUPERIOR THERMAL
PERFORMANCE

OUTSTANDING PERFORMANCE

ArmaGel Rail offers convincing advantages: it is hydrophobic and breathable, protects installations against moisture and mitigates the risk of corrosion under the insulation. It also offers excellent sound insulation properties (tested according to ISO15665) and the fire behaviour achieves the most stringent hazard level, HL3 for interior (R1), exterior (R7) and cab housing (R17) applications according to EN 45545-2.

MORE THICKNESSES FOR THE BEST FIT

The double-side laminated flexible blanket has been specifically designed for railway applications. It offers superior flexibility compared to other aerogel products and is easy to install even in tight spaces. Our aerogel mats are available in 5, 10, 15 and 20 mm thicknesses and can be used on mechanical equipment with operating temperatures between -180 °C and +110 °C.

EXTRA SPACE FOR POST-PANDEMIC TRAIN DESIGNS

Due to space constraints, inadequate thicknesses of conventional insulation materials are often installed in trains, leading to high energy losses. Slimming down train structures allows space to be saved, which is becoming increasingly important for new post-pandemic rail design solutions. Our high-performance insulation materials can be integrated directly into prefabricated elements. They can be easily combined with our ArmaComfort Rail sound insulation to create tailor-made systems which make full use of the performance and advantages of each product and material.

SPACE SAVING



EXCELLENT FIRE BEHAVIOUR



ENERGY EFFICIENT




LIFE-CYCLE COST EFFECTIVE



Used by NASA to bring home a piece of a comet because it's strong enough to stop a bullet in its tracks, aerogel offers an uncanny array of physical properties and incredible potential for insulation uses. It's the world's lightest and least dense solid material.

super thin



flexible



hydrophobic



ArmaGel Rail

High energy savings and cost-efficiency in the long term.

GREATER COMFORT ON THE TRACKS



ARMACOMFORT RAIL. SUPERIOR NOISE REDUCTION WITH ULTRA-THIN THICKNESSES.

Our pioneering spirit has always been part of our DNA. Well-known for our flexible thermal insulation, we now also offer best-in-class sound attenuation technology. Our new ArmaComfort Rail products significantly reduce disturbing noise for a higher level of passenger comfort.

»Acoustic comfort
is the key to
enhancing
customer
experience and
increasing rail
business.«

ARMACOMFORT REFLAMEX



Visually attractive, high-performance, mass-loaded noise barrier which meets the highest requirements of the European fire protection standard EN 45545-2: **HL3** (R1), available in 2, 3, 4, 5 mm.

ARMACOMFORT RAIL ALU



Aluminium-foil-faced sound barrier, standard sheets are classified as **HL3** (R1) and self-adhesive sheets as **HL3** (R10). Durable and tear-resistant covering which combines an attractive silver look with an easy-to-clean surface, available in 2, 3, 4, 5 mm.

ACOUSTIC COMFORT IS PARAMOUNT

Improving the comfort in rail vehicles is crucial for increasing the attractiveness of public transport. Fully air-conditioned high-speed trains provide fresh air and a pleasant atmosphere. The evolution in mobile and wireless communication technology allows passengers to work on board or relax undisturbed in designated quiet areas. Whether passengers are sleeping, working or communicating, acoustic comfort is paramount for the overall travel experience.

STATE-OF-THE-ART SOUND INSULATION

Factors contributing to the sound pressure level in train vehicles are numerous with rolling noise being the most important source in high-speed trains. State-of-the-art sound insulation which does not compromise the limited space and ensures an effective reduction of airborne noise in rail vehicles will become increasingly important as trains become faster and passengers' expectations rise.

SPACE-SAVING, ENVIRONMENT-FRIENDLY SOLUTION

Our ArmaComfort Rail products offer exceptional sound transmission loss properties across a broad frequency range with super-thin wall thicknesses. Based on a unique EVA/EPM blend, this new sound attenuation technology allows you to add mass to structural elements and mechanical equipment without losing space – invisibly in constructions or visibly on existing partition walls. Installed in floor and underfloor systems, ArmaComfort Rail reduces noise from tracks and brakes. It is also suitable for walls, ceilings, doors, staircases and partitions. Our solutions are tested according to EN 45545-2 and achieve the most stringent hazard level, HL3, for sleeping or couchette vehicles operating in underground track sections or tunnels. They are recyclable and halogen-free, phosphate-free, bitumen-free and lead-free. All ArmaComfort Rail products can be easily combined with our thermal insulation solutions.

SUPERIOR ACOUSTIC PERFORMANCE



ENVIRONMENTALLY FRIENDLY



SPACE SAVING




ENHANCED FIRE BEHAVIOUR

ARMACOMFORT RAIL



Black, uncovered sound barrier for interior horizontal, upward-facing surfaces and floor composites, classified as **HL3** (R10), available as 2 mm thick sheets.



DESIGNED FOR A CLEANER TOMORROW



ARMAPET. RECYCLING PLASTICS INTO HIGH-TECH FOAM.

ArmaPET Struct is the versatile and durable solution for structural sandwich applications with a more environmentally responsible approach. It allows fire safety solutions that ensure passenger protection while enhancing the cost-effective operation of your rolling stock.




Today's train operators and manufacturers are challenged by the need for even lighter, more energy-efficient and environment-friendly trains that do not compromise on safety or durability. With ArmaPET, we offer the rail vehicle construction industry a lightweight and durable product solution for safer, more sustainable and cost-efficient operation.



CONTRIBUTING TO ECO-FRIENDLY TRAVEL

ArmaPET offers a more sustainable product solution and contributes to eco-friendly travel. Based on 100 % recycled material with full recyclability after service life, ArmaPET enables train operators and manufacturers to present a more sustainable final product solution. It requires less energy for its production than conventional foam core materials.

Compared to PVC, ArmaPET Struct delivers 38 % savings on CO₂ emissions, and compared to polyurethane even 53 %.



ArmaPET Struct FR
fire-retardant, self-extinguishing foam
cores fulfilling EN 45545-2 requirements.

ARMAPET STRUCT FR

ArmaPET Struct FR is a halogen-free product with very low smoke generation and reduced smoke toxicity that enhances rail passenger fire safety. EN 45545-2 compliance up to hazard level HL3.

In addition to its excellent fire safety performance, ArmaPET Struct FR provides a durable final product with superior impact resistance to ensure long-term performance, fewer repairs and easy maintenance in use. Its unique combination of material and processing properties, enhance efficiency throughout the manufacturing process of your composite structure: regular processing temperature of +150 °C / +302 °F, density variation of less than 5 percent, compatibility with infusion and pre-preg lamination processes and all common resin systems and thermoformability into 3D or double-curved sandwich panels, to name just a few.

ARMAPET SHAPE

ArmaPET Shape is the first fully recyclable mouldable particle foam made entirely of recycled plastics. It combines the high mechanical properties of structural foam core with the advantages of particle foams to offer maximum design flexibility for lightweight, strong, ready-to-use 3D foam parts in nearly any shape.



ArmaPET Shape
PET-based particle
foam for 3D structural
foam parts.

ARMAPET CURVE

ArmaPET Curve is the first 100 percent recyclable thermoplastic foil product based on 100 percent recycled plastics. Superior stiffness and compression combined with chemical and temperature stability characterise our innovative technical solution for thin flexible PET-based sheets. ArmaPET Curve is designed for recyclable thermoformable micro-sandwich solutions produced in continuous manufacturing processes.



ArmaPET Curve
PET-based foil product
for thermoforming
applications.

DECADES OF EXPERIENCE IN RAILWAY TECHNOLOGY.

With more than 50 years of experience in the railway industry, Armacell supplies technology you can rely on. We are experts in railway applications and our product range has been specifically designed to meet the special requirements of this industry.

At Armacell, safety comes first and maximum reliability is essential. We know the railway requirements and standards and offer global support. The European standard EN 45545-2 which came into force in 2013 and replaced all national standards in 2016 defines tighter requirements for the fire behaviour of materials and components.

WITH
ARMACELL
YOU'RE ALWAYS ON
THE SAFE SIDE



The objectives of this standard are to minimise both the risk of a fire starting and spreading within railway vehicles and its effects on passengers and staff. As a consequence, this provides the best level of protection against a fire starting on board.



To achieve the highest possible level of safety in trains, both materials and components must meet strict fire, smoke and toxicity requirements. Depending on where they are used, materials are assigned to the categories R1 to R26 (R = Requirement Set).

The various operating and design classes provide the basis for the hazard levels (HLs) which in turn define the requirements of the classification system. There are a total of three hazard levels (HL1 to HL3). HL3 is the highest level and thus makes the highest demands of the materials used.

- // As of April 2016 all national standards were replaced by EN 45545-2
- // All trains are now built according to new European law
- // Armacell's solutions for the railway industry can now be specified and installed throughout Europe

NATIONAL STANDARDS REPLACED BY EN 45545-2

Country	Standard	European Standard	Testing Standard
Great Britain	BS 476-6/7	EN 45545-2	Spread of flame ISO 5658-2
France	NF 16 101 NF 16 102	Railway application	Heat release, smoke production and mass loss rate ISO 5660
Germany	DIN 5510	Fire protection on railway vehicles	Smoke optical density and toxicity EN ISO 5659-2
Italy	UNI CEI 11170		
Poland	PN-K-02511	Requirements for fire behaviour of materials and components	

TYPE OF VEHICLE AND OPERATION DETERMINE THE REQUIRED HAZARD LEVEL

	N: Standard vehicles	A: Vehicles of automatic train, no emergency trained staff on board	D: Double decked vehicles	S: Sleeping / couchette vehicles
1: No underground lines.	HL1	HL1	HL1	HL2
2: Regular use of underground sections and tunnels. Fast evacuation possible.	HL2	HL2	HL2	HL2
3: Regular use of underground sections and tunnels. Slow evacuation possible.	HL2	HL2	HL2	HL3
4: Regular use of underground sections and tunnels (incl. Euro-Tunnel). No evacuation possible.	HL3	HL3	HL3	HL3

85 – 90 %
ARE COVERED BY
HL2

HL1
e.g. tramway

HL2
e.g. TGV, TER,
RER, subway

HL3
e.g. subway,
metro, couchette
wagon

FIRE STANDARD
EN 45545 TAKES THE
FIRST PRINCIPLES INTO
CONSIDERATION

F
I
R
S
T

Flame spread
Ignitability
Rate of heat release
Smoke emissions
Toxic gas emissions

360°
SERVICE
SUPPORT

AT YOUR SERVICE.

At Armacell, we are committed to creating an exceptional customer experience. We understand the challenges in today's railway industry and are here to help you complete your projects successfully. From planning to handover – our 360 degree service supports you throughout. By sharing know-how based on our extensive experience we strive to help you solve your unique project challenges. At Armacell, we do all we can to make sure your projects stay on track.

ARMACELL'S CUSTOMISED SOLUTIONS

Take the fast track and get your Armacell fittings trimmed by our professional waterjet-cutting technology. Just provide us with CAD or DXF files of the shapes you need and we will make prototypes. Our machines cut smooth, precise edges in any two- or three-dimensional shape. Call us to discuss your specifications.



**TAILOR-
MADE
INSULATION**



TRAINS ALREADY RELYING ON OUR SOLUTIONS.

JUST A FEW OF THE SUCCESSFUL PROJECTS REALISED:

// **Bombardier**

Talent
Itino
Twindexx

// **Siemens**

Viaggio
Velaro
ICE

// **Stadler**

Flirt
Kiss
Smile

// **Alstom**

Coradia

// **Hitachi**

AT300
Caravaggio

// **CRRC**

Melbourne Metro
Switzerland Metro
Shanghai Metro
CRH3A bullet train

// **Kawasaki**

Taipei Metro

// **Taiwan Rolling Stock Co.,Ltd**

Taiwan Metro Danhai Line
Taiwan Railway

// **Hosue (Wabtec Group)**

Faiveley Transport

// **Integrated Coach Factory, Chennai**

Indian Railways



ARMACELL GOES BEYOND BETTER

Driving performance beyond the expected – Supporting you today and tomorrow.

Enjoy the benefits of our excellent customer service.
All over the world, our customers rely on sales representatives,
technical consultants and applications engineers.

Your project demands more. You deserve the best solution.

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. Armacell takes every precaution to ensure the accuracy of the data provided in this document and all statements, technical information and recommendations contained within are believed to be correct at the time of publication. By ordering/receiving product you accept the **Armacell General Terms and Conditions of Sale** applicable in the region. Please request a copy if you have not received these. Microban® is a trademark of Microban Products Company and is used herein with permission.

© Armacell, 2021. ® and TM are trademarks of the Armacell Group and are registered in the European Union, United States of America, and other countries. 00197 | Railway Technology | MktBrochure | 082021 | Global | EN MASTER

ABOUT ARMACELL

As the inventors of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal, acoustic and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With 3,000 employees and 23 production plants in 15 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for high-tech and lightweight applications and next generation aerogel blanket technology. For more information, please visit: www.armacell.com.

For product information, please visit:
www.armacell.eu | www.armacell-core-foams.com