

Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0, issued: 06.08.2021 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Armafinish 99

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Protective coat for insulation material based on synthetic rubber for outside installation and for making purposes for interior use.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Armacell GmbH

Robert-Bosch-Straße 10

48153 Münster

Deutschland

Telephone no. +49 (0) 251 - 7603-200 Fax no. +49 (0) 251 - 7603-561 e-mail info.de@armacell.com

Information provided by / telephone

Dr. Heribert Quante, Tel.: +49 (0) 251 - 7603-227

Advice on Safety Data Sheet

heribert.quante@armacell.com

Address

1.4

Armacell UK Ltd Mars Street OL9 6LY Oldham United Kingdom

email: info.armaform@armacell.com

Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411

Repr. 2; H361

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008: Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





Signal word

Warning

Hazardous component(s) to be indicated on label:

tris(methylphenyl) phosphate

Hazard statement(s)

H361 Suspected of damaging fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects.



Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0, issued: 06.08.2021 Region: GB

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Precautionary statement(s)

P201 Obtain special instructions before use.
P273 Avoid release to the environment.
P280 Wear protective gloves/eye protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container to hazardous or special waste collection point.

2.3 Other hazards

PBT assessment No data available. vPvB assessment No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additiona	al information		
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration		%	
1	tris(methylphenyl) ph	osphate				
	1330-78-5 809-930-9 - 01-2119531335-46	Repr. 2; H361 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>=	5.00 - <	10.00	wt%
2	1,2-benzisothiazol-3(2	2H)-one				
	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4*; H302 Aquatic Acute 1; H400 Eye Dam. 1; H318 Skin Irrit. 2; H315 Skin Sens. 1; H317	<	0.05		wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

	No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
Ī	2	-	Skin Sens. 1: H317: C >= 0.05%	-	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Change contaminated, saturated clothing.

After inhalation

When inhaled remove to fresh air and seek medical aid.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart and seek medical advice.

After ingestion

Do not induce vomiting. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0, issued: 06.08.2021 Region: GB

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Carbon dioxide; Dry chemical extinguisher; Foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Phosphorus oxides

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Pick up rest with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage.

Incompatible products

Do not store together with: oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name				
	Route of exposure			Value	
1	tris(methylphenyl) phosphate			1330-78-5	
	, , , , , ,			809-930-9	
	dermal	Long term (chronic)	systemic	2.50	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.46	mg/m³



Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0, issued: 06.08.2021 Region: GB

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	tris(methylphenyl) phosphate			1330-78-5	
				809-930-9	
	oral	Long term (chronic)	systemic	0.05	mg/kg/day
	dermal	Long term (chronic)	systemic	1.25	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.08	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	tris(methylphenyl) phosphate		1330-78-5	
			809-930-9	
	water	fresh water	0.001	mg/L
	water	marine water	0	mg/L
	water	Aqua intermittent	0.001	mg/L
	water	fresh water sediment	2.05	mg/kg
	with reference to: dry weight			
	water	marine water sediment	0.205	mg/kg
	with reference to: dry weight			
	soil	•	1.01	mg/kg
	with reference to: dry weight			
	sewage treatment plant	•	100.00	mg/L
	secondary poisoning	•	0.65	mg/kg
	with reference to: food			

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eve / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. In case of short-term contact / splash protection:

mm

Appropriate Material nitrile rubber
Material thickness 0.4

Breakthrough time < 30 min
Inappropriate material viton

Material thickness 0.4 mm
Breakthrough time > 30 min

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form	
liquid	

Colour	
white; grey	

Odour	
mild	

Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0, issued: 06.08.2021 Region: GB

pH value						
Value	9.5	- 10.5				
Boiling point / boiling range						
No data available						
Melting point/freezing point						
No data available						
Decomposition temperature						
No data available						
Flash point						
Value	>	101	°C			
Ignition temperature						
No data available						
Flammability						
No data available						
Lower explosion limit						
No data available						
Upper explosion limit						
No data available						
Vapour pressure						
No data available						
Relative vapour density						
No data available						
Relative density						
No data available						
Density Value	annr	1 22	a/om3			
Reference temperature	appr.	1.33 20	g/cm³ °C			
<u>'</u>		20				
Solubility						
No data available						
Partition coefficient n-octanol/water (log value	e)					
No Substance name		CAS no.		EC no.		
1 tris(methylphenyl) phosphate		1330-78-5	5.00	809-930-9		
log Pow Source	ECHA		5.93			
	LEGIA					
Kinematic viscosity			21			
Value	>	7 40	mm²/s °C			
Reference temperature Type	kinematic	40	C			
	Milierilatic					
	Particle characteristics					
No data available						

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, when used as directed.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Oxidizing agents



Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0, issued: 06.08.2021 Region: GB

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acut	Acute oral toxicity							
No	Substance name		CAS no.		EC no.			
1	tris(methylphenyl) phosphate		1330-78-5		809-930-9			
LD50)	>	2	20000	mg/kg bodyweight			
Spec	ties	rat						
Sour	ce	ECHA						

Acute dermal toxicity							
No	Substance name		CAS no.		EC no.		
1	tris(methylphenyl) phosphate		1330-78-5		809-930-9		
LD50)			3700	mg/kg bodyweight		
Spec	cies	rabbit					
Sour	ce	FCHA					

Acute inhalational toxicity No data available

Skin corrosion/irritation				
No	Substance name	CAS no.	EC no.	
1	tris(methylphenyl) phosphate	1330-78-5	809-930-9	
Spe	cies	rabbit		
Soul	ce	ECHA		
Eval	uation	low-irritant		
Eval	uation/classification	Based on available data, the classification criteria are not met.		

Serie	Serious eye damage/irritation				
No	Substance name	CAS no.	EC no.		
1	tris(methylphenyl) phosphate	1330-78-5	809-930-9		
Spec	cies	rabbit			
Sour	ce	ECHA			
Eval	uation	non-irritant			

Respiratory or skin sensitisation No data available

Gerr	Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	tris(methylphenyl) phosphate	1330-78-5	809-930-9		
Sour	rce	ECHA			
Evaluation/classification		Based on available data, the classification crite	eria are not met.		

Repi	Reproduction toxicity				
No	Substance name	CAS no.		EC no.	
1	tris(methylphenyl) phosphate	1330-78-5		809-930-9	
Rout	e of exposure	oral			
LOA	EL		62.5	mg/kg bw/d	
Spec	cies	mouse			
Source		ECHA			
Eval	uation/classification	Based on available data, the o	classification crite	eria are met.	

Carcinogenicity No data available

STOT - single exposure No data available

No	Substance name	CAS no.		EC no.
1	tris(methylphenyl) phosphate	1330-78-5		809-930-9
Rout	te of exposure	oral		
LOA	EL		50	mg/kg bw/d
Dura	ation of exposure		91	day(s)
Spec	cies	rats (male/female)		• . ,
Sour	ce	ECHA		
Eval	uation/classification	Based on available data, the o	lassification	criteria are not met.



Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0, issued: 06.08.2021 Region: GB

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of vapours may lead to headache, drowsiness and dizziness.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)					
No	Substance name	CAS r	10.	EC no.	
1	tris(methylphenyl) phosphate	1330-7	78-5	809-930-9	
LC50)		0.6	mg/l	
Dura	tion of exposure		96	h	
Species		Rainbow trout			
Sour	ce	ECHA			

Toxicity to fish (chronic)					
No	Substance name	CAS no.		EC no.	
1	tris(methylphenyl) phosphate	1330-78-5		809-930-9	
NOE	C		0.01	mg/l	
Dura	tion of exposure		28	day(s)	
Spec	cies	Jordanella floridae			
Meth	od	OECD 210			
Sour	ce	ECHA			

Toxic	Toxicity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	tris(methylphenyl) phosphate	1330-78-5		809-930-9	
EC50)		0.146	mg/l	
Dura	tion of exposure		48	h	
Species		Daphnia magna			
Method		OECD 202			
Sour	ce	ECHA			

Toxicity to Daphnia (chronic)					
No	Substance name	CAS no.		EC no.	
1	tris(methylphenyl) phosphate	1330-78-5		809-930-9	
NOE	C		0.1	mg/l	
Dura	tion of exposure		21	day(s)	
Spec	cies	Daphnia magna			
Meth	nod	OECD 211			
Sour	ce	ECHA			

No	Substance name	C	AS no.	EC no.	
1	tris(methylphenyl) phosphate	13	30-78-5	809-930-9	
EC5	0	>	2.5	mg/l	
Dura	tion of exposure		72	h	
Species		Pseudokirchneriel	a subcapitata		
Method		OECD 201	•		
Sour	ce	ECHA			

Toxicity to algae (chronic) No data available

Bact	Bacteria toxicity				
No	Substance name	CAS no.		EC no.	
1	tris(methylphenyl) phosphate	1330-78-5		809-930-9	
EC5	0	>	1000	mg/l	
Dura	ation of exposure		3	h	
Spec	cies	activated sludge			
Meth	nod	OECD 209			
Sour	rce	ECHA			



Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0. issued: 06.08.2021 Region: GB

12.2 Persistence and degradability

Biod	Biodegradability				
No	Substance name	CAS no.		EC no.	
1	tris(methylphenyl) phosphate	1330-78-5		809-930-9	
Type		aerobic biodegradation			
Value	e		80	%	
Dura	tion		28	day(s)	
Meth	od	OECD 301 C			
Sour	ce	ECHA			
Eval	uation	readily biodegradable			

12.3 Bioaccumulative potential

Part	artition coefficient n-octanol/water (log value)		
No	Substance name	CAS no.	EC no.
1	tris(methylphenyl) phosphate	1330-78-5	809-930-9
log F	ow	5	.93
Sour	ce	ECHA	

12.4 Mobility in soil

No data available.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

12.6 **Endocrine disrupting properties**

No data available.

Other adverse effects 12.7

No data available.

12.8 Other information

Other information	
Do not discharge into drains or waters and do not dispose of in public landfills.	

SECTION 13: Disposal considerations

Waste treatment methods

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

Transport ADR/RID/ADN

Class Classification code M6 Packing group Ш Hazard identification no. 90 UN3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper shipping name

tris(methylphenyl) phosphate Technical name Tunnel restriction code

Label

Environmentally hazardous Symbol "fish and tree"

substance mark

14.2 **Transport IMDG**

Class Packing group Ш **UN** number UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

tris(methylphenyl) phosphate Technical name

EmS F-A, S-F Label



Trade name: Armafinish 99

Current version: 5.0.0. issued: 29.08.2023 Replaced version: 4.0.0. issued: 06.08.2021 Region: GB

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class Packing group Ш **UN** number UN3082

Environmentally hazardous substance, liquid, n.o.s. Proper shipping name

Technical name tris(methylphenyl) phosphate

Label

Environmentally hazardous

substance mark

Symbol "fish and tree"

Other information

No data available.

Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

Special precautions for user

To be transported always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of conduct in case of incident or spillage.

Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006

	Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES				
The	The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3				
The	The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.				
No	Substance name	CAS no.	EC no.	No	
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120	0-9 75	
2	tris/mathylnhanyl) nhosnhata	1330-78-5	809-93	n_9 75	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances	
Directive 2012/10/E0 Oil the control of major-accident nazards involving dangerous substances	
This product is subject to Part Lof Appex Lirisk category:	F2

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)		
birective 2010/13/EO on industrial emissions (integrated politition prevention and control)		
VOC content	2 11 %	

Other regulations

Observe employment restrictions for child bearing mothers and nursing mothers.

Observe employment restrictions for young people.

Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Further information

Authors responsible for the compilation of the material safety data sheet: UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de.

The information is based on our current knowledge however it does not represent a guarantee of product properties nor does it create any legal obligation.

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.



Trade name: Armafinish 99

Current version: 5.0.0, issued: 29.08.2023 Replaced version: 4.0.0, issued: 06.08.2021 Region: GB

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 635710