

Trade name: Armaflex SF990

Current version: 7.1.0. issued: 05.08.2021 Replaced version: 7.0.0, issued: 27.04.2021 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

Armaflex SF990

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Adhesive for processing all flexible Armaflex insulation materials

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Armacell GmbH

Robert-Bosch-Straße 10

48153 Münster Telephone no.

+49 (0) 251 - 7603-200 +49 (0) 251 - 7603-561 Fax no info.de@armacell.com e-mail

Information provided by / telephone

Dr. Heribert Quante, Tel.: +49 (0) 251 - 7603-227

Advice on Safety Data Sheet

heribert.quante@armacell.com

Address

Armacell UK Ltd Mars Street OL9 6LY Oldham United Kingdom

email: info.armaform@armacell.com

1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Skin Sens. 1; H317 STOT RE 2; H373i

Classification information

Classification and labelling with respect to specific target organ toxicity (repeated exposure) are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) no 1272/2008: Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





Signal word

Hazardous component(s) to be indicated on label:

2-methyl-2H-isothiazol-3-one

Hazard statement(s)

Trade name: Armaflex SF990

Current version : 7.1.0, issued: 05.08.2021 Replaced version: 7.0.0, issued: 27.04.2021 Region: GB

H317 May cause an allergic skin reaction.

H373i May cause damage to organs through prolonged or repeated exposure if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-

methyl-2H -isothiazol-3-one (3:1). May produce an allergic reaction.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	Substance name Additional information					
No	Substance name				01	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration	%	
	REACH no					
1	zinc oxide	A 6 . A 4 . H400		0.05	40/	
	1314-13-2	Aquatic Acute 1; H400	>=	0.25 - < 2.50	wt%	
	215-222-5	Aquatic Chronic 1; H410				
	030-013-00-7					
_	01-2119463881-32	ation and trate with discussion and in a but done				
2	68610-51-5	ction products with dicyclopentadiene and isobutylene Aguatic Chronic 4; H413	<	2.50	wt%	
	271-867-2	'		2.50	W170	
	2/1-80/-2	Repr. 2; H361d				
	01-2119496062-39					
3	1,2-benzisothiazol-3(2	l PH)-one				
	2634-33-5	Acute Tox. 4; H302	<	0.10	wt%	
	220-120-9	Eye Dam. 1; H318		0.10	,	
	613-088-00-6	Skin Irrit. 2: H315				
	01-2120761540-60	Skin Sens. 1; H317				
		Aquatic Acute 1; H400				
		Aquatic Chronic 2; H411				
4	2-methyl-2H-isothiazo	II-3-one				
	2682-20-4	Acute Tox. 3; H301	<	0.10	wt%	
	220-239-6	Acute Tox. 3; H311				
	613-326-00-9	Acute Tox. 2; H330				
	01-2120764690-50	Skin Corr. 1B; H314				
		Eye Dam. 1; H318				
		Skin Sens. 1A; H317				
		Aquatic Acute 1; H400				
		Aquatic Chronic 1; H410				
		EUH071				
5		nloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -				
	isothiazol-3-one (3:1)					
	55965-84-9	Acute Tox. 3; H301	<	0.0015	wt%	
	-	Acute Tox. 2; H310				
	613-167-00-5	Acute Tox. 2; H330				
	01-2120764691-48	Aquatic Acute 1; H400				
		Aquatic Chronic 1; H410				
		Eye Dam. 1; H318				
		Skin Corr. 1C; H314				
		Skin Sens. 1A; H317				
		EUH071				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

Trade name: Armaflex SF990

Current version: 7.1.0, issued: 05.08.2021 Reglaced version: 7.0.0, issued: 27.04.2021 Region: GB

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	-	M = 1	M = 1
3	-	Skin Sens. 1; H317: C >= 0.05%	-	-
4	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1
5	-	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

When inhaled remove to fresh air and seek medical aid.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Carbon dioxide; Dry chemical extinguisher; Foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Zinc oxides; Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Pick up rest with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

Current version : 7.1.0, issued: 05.08.2021 **Replaced version:** 7.0.0, issued: 27.04.2021 **Region:** GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Remove soiled or soaked clothing immediately.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep from freezing.

Recommended storage temperature

Value 10 - 35 °C

Storage stability

Value 6 months

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC	no		
	Route of exposure	Exposure time	Effect	Value	
1	zinc oxide			1314-13-2 215-222-5	=
	dermal	Long term (chronic)	systemic	83	mg/kg/day
	with reference to: Zn Comments: insoluble				
	inhalative	Long term (chronic)	systemic	5	mg/m³
	with reference to: Zn Comments: insoluble				
	inhalative	Long term (chronic)	local	0.5	mg/m³
	with reference to: Zn Comments: insoluble		·		
2	Phenol, 4-methyl-, reacti	on products with dicyclopenta	diene and isobutylene	68610-51- 271-867-2	~
	dermal	Long term (chronic)	systemic	0.42	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.29	mg/m³

DNEL value (consumer)

No	Substance name		CAS / EC	no	
	Route of exposure	Exposure time	Effect	Value	
1	zinc oxide			1314-13-2 215-222-5	
	oral	Long term (chronic)	systemic	0.83	mg/kg/day
	with reference to: Zn Comments: insoluble				
	dermal	Long term (chronic)	systemic	83	mg/kg/day
	with reference to: Zn Comments: insoluble				
	inhalative	Long term (chronic)	systemic	2.5	mg/m³
	with reference to: Zn Comments: insoluble				
2	Phenol, 4-methyl-, reaction	products with dicyclopenta	diene and isobutylene	68610-51- 271-867-2	
	oral	Long term (chronic)	systemic	0.04	mg/kg/day
	dermal	Long term (chronic)	systemic	0.21	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.07	mg/m³

PNEC values

Current version: 7.1.0, issued: 05.08.2021 Replaced version: 7.0.0, issued: 27.04.2021 Region: GB

No	Substance name		CAS / EC no				
	ecological compartment	Туре	Value				
1	zinc oxide		1314-13-2 215-222-5				
	water	fresh water	20.6	μg/L			
	with reference to: Zn						
	water	marine water	6.1	μg/L			
	with reference to: Zn						
	water	fresh water sediment	117.8	mg/kg			
	water	marine water sediment	56.5	mg/kg			
	with reference to: Zn, dry weight						
	soil	-	35.6	mg/kg			
	with reference to: Zn, dry weight						
	sewage treatment plant	-	100	μg/L			
2	Phenol, 4-methyl-, reaction products with did	cyclopentadiene and isobutylene	68610-51-5 271-867-2				
	water	fresh water	0.01	mg/L			
	water	Aqua intermittent	0.002	mg/L			
	water	marine water	0.002	mg/L			
	water	fresh water sediment	426.26	mg/kg dry weight			
	water	marine water sediment	85.25	mg/kg dry weight			
	soil	-	85.16	mg/kg dry weight			
	sewage treatment plant	-	100	mg/L			
	secondary poisoning	-	1.7	mg/kg food			

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. In case of insufficient ventilation and during spray application respiratory protection necessary.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile rubber Appropriate Material butyl rubber Appropriate Material neoprene

Breakthrough time > 480 min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation							
liquid							
Form/Colour							
liquid							
grey							
Odour							
characteristic							
pH value							
Value	ç)	-	10			
Boiling point / boiling range							
No data available							

irada nama. Armaflay CE000

Trade name: Armaflex SF990

Current version : 7.1.0, issued: 05.08.2021 **Replaced version:** 7.0.0, issued: 27.04.2021 **Region:** GB

1.0							
Melting point/freezing point No data available							
Decomposition temperature No data available							
Flash point							
No data available							
Ignition temperature							
No data available							
Flammability							
No data available							
Lower explosion limit							
No data available							
Upper explosion limit							
No data available							
Vapour pressure							
No data available							
Relative vapour density No data available							
Relative density							
No data available							
Density							
Value	appr.	1.0	g/cm³				
Reference temperature		20	°C				
Solubility in water							
Comments	miscible						
Solubility							
No data available							
Partition coefficient n-octanol/water (log value)							
No Substance name		CAS no.		EC no.			
1 Phenol, 4-methyl-, reaction products with dicy	clopentadiene	68610-51-5		271-867-2			
and isobutylene							
log Pow			7.93				
Reference temperature	-11.7		25	°C			
with reference to Method	pH 7 OECD 123						
Source	ECHA						
	1=3:":						
Viscosity No data qualitable							
No data available							

9.2 Other information

Particle characteristics
No data available

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, when used as directed.

10.4 Conditions to avoid

Keep from freezing.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

Current version: 7.1.0, issued: 05.08.2021 **Replaced version**: 7.0.0, issued: 27.04.2021 **Region**: GB

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acut	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	zinc oxide		1314-13-2		215-222-5		
LD50		>	;	5000	mg/kg bodyweight		
Spec Meth Source	od	rat OECD 401 ECHA					
2	Phenol, 4-methyl-, reaction products with dicyand isobutylene	clopentadiene	68610-51-5		271-867-2		
LD50		>		5000	mg/kg bodyweight		
Spec	ies	rat					
Meth	od	OECD 401					
Source	ce	ECHA					
Evalu	uation/classification	Based on avail	able data, the classit	fication criteri	a are not met.		

Acute dermal toxicity							
No	Substance name		CAS no.		EC no.		
1	zinc oxide		1314-13-2		215-222-5		
LD50		>		2000	mg/kg bodyweight		
Spec	ies	rat					
Meth	od	OECD 402					
Sour	ce	ECHA					
2	Phenol, 4-methyl-, reaction products with dicy	clopentadiene	68610-51-5		271-867-2		
	and isobutylene						
LD50		>		2000	mg/kg bodyweight		
Spec	ies	rat					
Meth	od	OECD 402					
Source		ECHA					
Evalu	uation/classification	Based on avail	able data, the cla	assification cri	teria are not met.		

No Substance name	C	AS no.	EC no.
1 zinc oxide	1:	314-13-2	215-222-5
LC50	>	5.7	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin	Skin corrosion/irritation						
No	Substance name		CAS no.	EC no.			
1	zinc oxide		1314-13-2	215-222-5			
Spec	ies	rabbit					
Meth	od	OECD 404					
Sour	ce	ECHA					
Evalu	uation	non-irritant					
2	Phenol, 4-methyl-, reaction products with dicy	clopentadiene	68610-51-5	271-867-2			
	and isobutylene						
Spec	ies	rabbit					
Meth	od	OECD 404					
Source		ECHA					
Evaluation		low-irritant					
Evaluation/classification E		Based on available data, the classification criteria are not met.					

			· · · · · · · · · · · · · · · · · · ·	
Serio	ous eye damage/irritation			
No	Substance name		CAS no.	EC no.
1	zinc oxide		1314-13-2	215-222-5
Spec	ies	rabbit		
Method		OECD 405		
Sour	ce	ECHA		
Evalu	uation	non-irritant		
2	Phenol, 4-methyl-, reaction products with dicy	clopentadiene	68610-51-5	271-867-2
and isobutylene				
Species ra		rabbit		
Meth	Method			



Trade name: Armaflex SF990

Current version : 7.1.0, issued: 05.08.2021 **Replaced version:** 7.0.0, issued: 27.04.2021 **Region:** GB

Source	ECHA
Evaluation	non-irritant
Evaluation/classification	Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation				
No Substance name	CAS no. EC no.			
1 zinc oxide	1314-13-2 215-222-5			
Route of exposure	respiratory tract			
Source	ECHA			
Evaluation	non-sensitizing			
Evaluation/classification	Based on available data, the classification criteria are not met.			
Route of exposure	Skin			
Species	Guinea pig			
Method	OECD 406			
Source	ECHA			
Evaluation	non-sensitizing			
Evaluation/classification	Based on available data, the classification criteria are not met.			
2 Phenol, 4-methyl-, reaction products with dicy	clopentadiene 68610-51-5 271-867-2			
and isobutylene				
Route of exposure	Skin			
Species	guinea pig			
Method	OECD 406			
Source	ECHA			
Evaluation	non-sensitizing			

Gern	n cell mutagenicity		
No	Substance name	CAS no.	EC no.
1	Phenol, 4-methyl-, reaction products with did	cyclopentadiene 68610-51-5	271-867-2
	and isobutylene		
Type	of examination	in vitro gene mutation study in bacte	ria
Spec	ies	S. typhimurium, other: TA 98, TA 10	00, TA 102, TA 1535, TA 1537, TA 1538
Meth	od	OECD 471	
Sour	ce	ECHA	
Evalu	uation/classification	Based on available data, the classifi	cation criteria are not met.
	of examination	In vitro mammalian cytogenicity	
Spec	ies	Chinese hamster Ovary (CHO)	
Meth	od	OECD 473	
Sour	ce	ECHA	
Evalu	uation/classification	Based on available data, the classifi	cation criteria are not met.
Type	of examination	In vitro mammalian cell gene mutation	on test
Spec	ies	Chinese hamster Ovary (CHO)	
Meth	od	OECD 476	
Sour	ce	ECHA	
Evalu	uation/classification	Based on available data, the classifi	cation criteria are not met.

Repr	Reproduction toxicity					
No	Substance name	C	AS no.	EC no.		
1	Phenol, 4-methyl-, reaction products with dicycand isobutylene	clopentadiene 6	8610-51-5	271-867-2		
Route	e of exposure	oral				
	of examination	Toxicity study				
Spec	ies	rabbit				
Meth	od	OECD 414				
Sour	ce	ECHA				
Evalu	uation/classification	Based on availabl	e data, the classifica	tion criteria are met.		

Carcinogenicity	
No data available	

STOT - single exposure No data available

STO	STOT - repeated exposure				
No	Product Name				
1	Armaflex SF990				
Route of exposure		inhalation			
Evaluation/classification		May cause damage to organs through prolonged or repeated exposure			

Aspiration hazard	
No data available	

Delayed and immediate effects as well as chronic effects from short and long-term exposure
Inhalation of vapours may lead to headache, drowsiness and dizziness.

Current version : 7.1.0, issued: 05.08.2021 **Replaced version:** 7.0.0, issued: 27.04.2021 **Region:** GB

11.2 Information on other hazards

Endocrine disrupting properties

No data available. **Other information**No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxic	Toxicity to fish (acute)						
No	Substance name	CAS no.		EC no.			
1	Phenol, 4-methyl-, reaction products with dicy	clopentadiene 68610-51-5		271-867-2			
	and isobutylene						
LC50		>	0.2	mg/l			
Dura	tion of exposure		96	h			
Species		Oncorhynchus mykiss					
Method		OECD 203					
Sour	ce	ECHA					

Toxicity to fish (chronic)

No data available

Toxic	Toxicity to Daphnia (acute)						
No	Substance name	C	AS no.	EC no.			
1	Phenol, 4-methyl-, reaction products with dicy	clopentadiene 68	8610-51-5	271-867-2			
	and isobutylene						
EC50)	>	0.2	mg/l			
Dura	tion of exposure		48	h			
Spec	ties	Daphnia magna					
Method		OECD 202					
Sour	ce	ECHA					

Toxic	city to Daphnia (chronic)				
No	Substance name	CAS no.		EC no.	
1	zinc oxide	1314-13-2		215-222-5	
NOE	С		82	μg/l	
Duration of exposure			7	day(s)	
Species		Daphnia magna			
with reference to		pH 6.0			
Sour	ce	CSR			

Toxic	Toxicity to algae (acute)				
No	Substance name		CAS no.	EC no.	
1	Phenol, 4-methyl-, reaction products with dicy	clopentadiene	68610-51-5	271-867-2	
	and isobutylene				
ErC5	ErC50 > 0.2 mg/l				
Durat	tion of exposure		72	h	
Species Pseudo		Pseudokirchner	iella subcapitata		
Method OECD 201					
Source	ce	ECHA			

Toxic	Toxicity to algae (chronic)					
No	Substance name	CAS no.		EC no.		
1	zinc oxide	1314-13-2		215-222-5		
NOE	C		19	μg/l		
Dura	tion of exposure		7	day(s)		
Species		Pseudokirchneriella subcapitata				
with reference to		pH 8.0				
Sour	ce	CSR				

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

	·- · · · · · · · · · · · · · · · · · ·					
Biod	Biodegradability					
No	Substance name	C	AS no.		EC no.	
	Phenol, 4-methyl-, reaction products with dicy and isobutylene	clopentadiene 6	8610-51-5		271-867-2	
Type	Type aerobic biodegradation					
Value	Value 1 %					



Trade name: Armaflex SF990

Current version : 7.1.0, issued: 05.08.2021Replaced version: 7.0.0, issued: 27.04.2021Region: GB

Duration		28	day(s)
Method	OECD 301 B		• • •
Source	ECHA		
Evaluation	not readily biodegradable		

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)					
No	Substance name		CAS no.		EC no.	
1	Phenol, 4-methyl-, reaction products with dicy and isobutylene	clopentadiene	68610-51-5		271-867-2	
BCF				100		
Sour	rce	ECHA				

Parti	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	Phenol, 4-methyl-, reaction products with dicyc	clopentadiene	68610-51-5		271-867-2	
	and isobutylene					
log F	log Pow			7.93		
Refe	Reference temperature			25	°C	
with	with reference to pH 7					
Meth	Method OECI					
Sour	Source ECHA					

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

=:	
	Other information
	Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

4.7 Maritime transport in bulk according to IMO instruments

Current version: 7.1.0, issued: 05.08.2021 Reglaced version: 7.0.0, issued: 27.04.2021 Region: GB

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Further information

Authors responsible for the compilation of the material safety data sheet: UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de.

The information is based on our current knowledge however it does not represent a guarantee of product properties nor does it create any legal obligation.

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract. H301 Toxic if swallowed.

H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H361d Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410
 H410
 Very toxic to aquatic life with long lasting effects.
 H411
 H413
 Toxic to aquatic life with long lasting effects.
 May cause long lasting harmful effects to aquatic life.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 636644