

**Trade name:** Armaflex SF990

**Current version :** 8.0.0, issued: 20.02.2024

**Replaced version:** 7.1.0, issued: 05.08.2021

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**Armaflex SF990**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Adhesive for processing all flexible Armaflex insulation materials

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Armacell GmbH  
Robert-Bosch-Straße 10  
48153 Münster  
Deutschland

Telephone no. +49 (0) 251 - 7603-200

Fax no. +49 (0) 251 - 7603-561

e-mail info.de@armacell.com

**Information provided by / telephone**

Dr. Heribert Quante, Tel.: +49 (0) 251 - 7603-227

**Advice on Safety Data Sheet**

heribert.quante@armacell.com

**Address**

Armacell UK Ltd  
Mars Street  
OL9 6LY Oldham  
United Kingdom

email: info.armaform@armacell.com

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Skin Sens. 1; H317

STOT RE 2; H373i

**Classification information**

Classification and labelling with respect to specific target organ toxicity (repeated exposure) are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**



GHS07



GHS08

**Signal word**

Warning

**Hazardous component(s) to be indicated on label:**

2-methyl-2H-isothiazol-3-one

**Trade name:** Armaflex SF990

**Current version :** 8.0.0, issued: 20.02.2024

**Replaced version:** 7.1.0, issued: 05.08.2021

**Region:** GB

**Hazard statement(s)**

H317 May cause an allergic skin reaction.  
H373i May cause damage to organs through prolonged or repeated exposure if inhaled.  
H412 Harmful to aquatic life with long lasting effects.

**Hazard statements (EU)**

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1). May produce an allergic reaction.

**Precautionary statement(s)**

P260 Do not breathe mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P501 Dispose of contents/container to a facility in accordance with local and national regulations.

**2.3 Other hazards**

PBT assessment  
The components of this product are not considered to be a PBT.  
vPvB assessment  
The components of this product are not considered to be a vPvB.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures**

**Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	<b>zinc oxide</b>		
	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - < 2.50 wt%
2	<b>Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene</b>		
	68610-51-5 271-867-2 - 01-2119496062-39	Aquatic Chronic 4; H413 Repr. 2; H361d	< 2.50 wt%
3	<b>1,2-benzisothiazol-3(2H)-one</b>		
	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	< 0.10 wt%
4	<b>2-methyl-2H-isothiazol-3-one</b>		
	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 2; H330 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	< 0.10 wt%
5	<b>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)</b>		

Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

55965-84-9 - 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H310 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Eye Dam. 1; H318 Skin Corr. 1C; H314 Skin Sens. 1A; H317 EUH071	< 0.0015	wt%
---	--	----------	-----

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	-	M = 1	M = 1
3	-	Skin Sens. 1; H317: C >= 0.05%	-	-
4	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1
5	-	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

When inhaled remove to fresh air and seek medical aid.

#### After skin contact

When in contact with the skin, clean with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

#### After ingestion

Do not induce vomiting. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person. Call a doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray jet; Carbon dioxide; Dry chemical extinguisher; Foam

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Zinc oxides; Carbon monoxide and carbon dioxide

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Use personal protective clothing.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3 Methods and material for containment and cleaning up

Pick up rest with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). When collected, handle material as described under the section heading "Disposal considerations".

## 6.4 Reference to other sections

No data available.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Remove soiled or soaked clothing immediately.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep from freezing.

#### Recommended storage temperature

Value 10 - 35 °C

#### Storage stability

Value 6 months

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### DNEL, DMEL and PNEC values

##### DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	zinc oxide			1314-13-2 215-222-5	
	dermal	Long term (chronic)	systemic	83	mg/kg/day
	with reference to: Zn Comments: insoluble				
	inhalative	Long term (chronic)	systemic	5	mg/m <sup>3</sup>
with reference to: Zn Comments: insoluble					
2	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene			68610-51-5 271-867-2	
	dermal	Long term (chronic)	systemic	0.42	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	0.29	mg/m <sup>3</sup>

##### DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	zinc oxide			1314-13-2 215-222-5	
	oral	Long term (chronic)	systemic	0.83	mg/kg/day
	with reference to: Zn Comments: insoluble				
	dermal	Long term (chronic)	systemic	83	mg/kg/day

Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

	with reference to: Zn Comments: insoluble			
	inhalative	Long term (chronic)	systemic	2.5 mg/m <sup>3</sup>
	with reference to: Zn Comments: insoluble			
2	<b>Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene</b>			<b>68610-51-5</b> <b>271-867-2</b>
	oral	Long term (chronic)	systemic	0.04 mg/kg bw/day
	dermal	Long term (chronic)	systemic	0.21 mg/kg bw/day
	inhalative	Long term (chronic)	systemic	0.07 mg/m <sup>3</sup>

**PNEC values**

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	<b>zinc oxide</b>		<b>1314-13-2</b> <b>215-222-5</b>
	water	fresh water	20.6 µg/L
	with reference to: Zn		
	water	marine water	6.1 µg/L
	with reference to: Zn		
	water	fresh water sediment	117.8 mg/kg
	water	marine water sediment	56.5 mg/kg
	with reference to: Zn, dry weight		
	soil	-	35.6 mg/kg
	with reference to: Zn, dry weight		
	sewage treatment plant	-	100 µg/L
2	<b>Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene</b>		<b>68610-51-5</b> <b>271-867-2</b>
	water	fresh water	0.01 mg/L
	water	marine water	0.002 mg/L
	water	fresh water sediment	426.26 mg/kg dry weight
	water	marine water sediment	85.25 mg/kg dry weight
	soil	-	85.16 mg/kg dry weight
	sewage treatment plant	-	100 mg/L
	secondary poisoning	-	1.7 mg/kg food

**8.2 Exposure controls**

**Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

**Personal protective equipment**

**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. In case of insufficient ventilation and during spray application respiratory protection necessary.

**Eye / face protection**

Safety glasses with side protection shield (EN 166)

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	nitrile rubber		
Appropriate Material	butyl rubber		
Appropriate Material	neoprene		
Breakthrough time	>	480	min

**Other**

Chemical-resistant work clothes.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

<b>State of aggregation</b>
liquid

Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

<b>Form</b>			
liquid			
<b>Colour</b>			
grey			
<b>Odour</b>			
characteristic			
<b>pH value</b>			
Value	9	-	10
<b>Boiling point / boiling range</b>			
No data available			
<b>Melting point/freezing point</b>			
No data available			
<b>Decomposition temperature</b>			
No data available			
<b>Flash point</b>			
No data available			
<b>Ignition temperature</b>			
No data available			
<b>Flammability</b>			
No data available			
<b>Lower explosion limit</b>			
No data available			
<b>Upper explosion limit</b>			
No data available			
<b>Vapour pressure</b>			
No data available			
<b>Relative vapour density</b>			
No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
Value	appr.	1.0	g/cm <sup>3</sup>
Reference temperature		20	°C
<b>Solubility in water</b>			
Comments	miscible		
<b>Solubility</b>			
No data available			
<b>Partition coefficient n-octanol/water (log value)</b>			
No	Substance name	CAS no.	EC no.
1	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
log Pow		7.93	
Reference temperature with reference to Method		25 °C	
Source		pH 7 OECD 123 ECHA	
<b>Kinematic viscosity</b>			
No data available			
<b>Particle characteristics</b>			
No data available			

## 9.2 Other information

<b>Other information</b>
No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

Dangerous reactions are not expected if the product is handled according to its intended use.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

None, when used as directed.

#### 10.4 Conditions to avoid

Keep from freezing.

#### 10.5 Incompatible materials

No data available.

#### 10.6 Hazardous decomposition products

None, if handled according to intended use.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	zinc oxide	1314-13-2	215-222-5
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	zinc oxide	1314-13-2	215-222-5
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
2	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	zinc oxide	1314-13-2	215-222-5
LC50	>	5.7	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		
Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	zinc oxide	1314-13-2	215-222-5
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
2	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
Species	rabbit		
Method	OECD 404		

Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

Source	ECHA
Evaluation	low-irritant
Evaluation/classification	Based on available data, the classification criteria are not met.

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	zinc oxide	1314-13-2	215-222-5
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		non-irritant	
2	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		non-irritant	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	zinc oxide	1314-13-2	215-222-5
Route of exposure		respiratory tract	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		Skin	
Species		Guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
Type of examination		in vitro gene mutation study in bacteria	
Species		S. typhimurium, other: TA 98, TA 100, TA 102, TA 1535, TA 1537, TA 1538	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		In vitro mammalian cytogenicity	
Species		Chinese hamster Ovary (CHO)	
Method		OECD 473	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		In vitro mammalian cell gene mutation test	
Species		Chinese hamster Ovary (CHO)	
Method		OECD 476	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
Route of exposure		oral	
Type of examination		Toxicity study	
Species		rabbit	
Method		OECD 414	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are met.	



Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

<b>Carcinogenicity</b>	
No data available	
<b>STOT - single exposure</b>	
No data available	
<b>STOT - repeated exposure</b>	
<b>No</b>	<b>Product Name</b>
1	Armaflex SF990
Route of exposure	inhalation
Evaluation/classification	May cause damage to organs through prolonged or repeated exposure
<b>Aspiration hazard</b>	
No data available	
<b>Delayed and immediate effects as well as chronic effects from short and long-term exposure</b>	
Inhalation of vapours may lead to headache, drowsiness and dizziness.	

## 11.2 Information on other hazards

### Endocrine disrupting properties

No data available.

### Other information

No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity

<b>Toxicity to fish (acute)</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
1	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
LC50	>	0.2	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
<b>Toxicity to fish (chronic)</b>			
No data available			
<b>Toxicity to Daphnia (acute)</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
1	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
EC50	>	0.2	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
<b>Toxicity to Daphnia (chronic)</b>			
No data available			
<b>Toxicity to algae (acute)</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
1	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
ErC50	>	0.2	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
<b>Toxicity to algae (chronic)</b>			
No data available			
<b>Bacteria toxicity</b>			
No data available			

### 12.2 Persistence and degradability

<b>Biodegradability</b>		
<b>No</b>	<b>Substance name</b>	<b>EC no.</b>

Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

1	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
Type	aerobic biodegradation		
Value		1	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	not readily biodegradable		

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	271-867-2
log Pow		7.93	
Reference temperature with reference to		25	°C
Method	pH 7 OECD 123		
Source	ECHA		

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

### 12.6 Endocrine disrupting properties

No data available.

### 12.7 Other adverse effects

No data available.

### 12.8 Other information

Other information
Do not discharge into drains or waters and do not dispose of in public landfills.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## SECTION 14: Transport information

### 14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

### 14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

### 14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

### 14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

### 14.6 Special precautions for user

No data available.

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

Trade name: Armaflex SF990

Current version : 8.0.0, issued: 20.02.2024

Replaced version: 7.1.0, issued: 05.08.2021

Region: GB

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

##### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

##### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

##### Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	75
2	2-methyl-2H-isothiazol-3-one	2682-20-4	220-239-6	75
3	chloroprene	126-99-8	204-818-0	75
4	potassium hydroxide	1310-58-3	215-181-3	75

##### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## SECTION 16: Other information

#### Further information

Authors responsible for the compilation of the material safety data sheet: UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de.

The information is based on our current knowledge however it does not represent a guarantee of product properties nor does it create any legal obligation.

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

#### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 636644