

INSULATION FOR THE OIL AND GAS INDUSTRY

ArmaFlex[®] Cleaner

The special cleaner for surface
preparation with Armaflex[®] installation

- // Removal of grease, oils, and dirt from surfaces prior to the use of ArmaFlex adhesives
- // Removal of dirt from surfaces
- // Cleaning of brushes and tools contaminated with ArmaFlex[®] adhesive

www.armacell.com/energy



 **armacell**[®]
ArmaFlex[®]

TECHNICAL DATA – ARMAFLEX CLEANER

Brief description	Special cleaner for use with all ArmaFlex adhesives.
Colour	Clear
Material special information	Liquid
Applications	Cleaning of surfaces where Armaflex Adhesives are to be used.
Assembly	To ensure perfect adhesion all contaminated surfaces - including contaminated Armaflex - must be cleaned.
Remarks	Please also use the Armaflex Cleaner to clean tools (except Armaflex Ultima SF990 and Armaflex SF990 adhesive).

Property	Value/Assessment	Special Remark
Other technical features		
Storage & shelf life	Approx. 1 year	Keep container tightly closed in a cool, well ventilated place.
Flash point	Approx. - 20 °C	
Explosion limits	Lower: approx. 1 Vol-% Upper: approx. 13 Vol-%	
Hazard class	Please refer to Safety Data Sheet.	
Transport classes	Please refer to Safety Data Sheet.	
Recycling	Dispose waste according to applicable local, state and federal regulations. Please refer to Safety Data Sheet.	Packaging must be emptied of all residues. Emptied packaging can be re-cycled. Packaging with traces of product must be disposed of in the same manner as the medium.

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant regulations and project specification lies with the customer. Armacell takes every precaution to ensure the accuracy of the data provided in this document and all statements, technical information and recommendations contained within are believed to be correct at the time of publication. By ordering/receiving product you accept the **Armacell General Terms and Conditions of Sale** applicable in the region. Please request a copy if you have not received these.

© Armacell, 2019. ArmaFlex is a trademark of the Armacell Group. © and ™ are trademarks of the Armacell Group and is registered in the European Union, United States of America, and other countries.

00052 | ArmaFlex | ArmaFlex Cleaner | TDS | 122019 | Global | EN Master

ABOUT ARMACELL

As the inventors of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal, acoustic and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With 3,100 employees and 24 production plants in 16 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for high-tech and lightweight applications and next generation aerogel blanket technology.

For more information, please visit:
www.armacell.com/energy

