
Scaffold Protect

Robust and High Visibility Protective Tubing

- // Foam tubes to encase wooden and metal posts where protection against impact is required
- // Polyethylene with UV-resistant surface, suitable for indoor and outdoor applications
- // Fully slit for ease of applicatior

www.armacell.co.uk











TECHNICAL DATA - SCAFFOLD PROTECT

Brief description	Flexible, closed cell polyethylene Yellow 2m length tubes, 13X048, 09x048		
Colour			
Product range			
Resistance to	Ozone Good		
	Oil and Grease Good		
Density	25 kg/m³		
Dimension stability	2%		
Environmental aspects	ODP zero, GWP three		
Health aspects	Dust & fibre free		

All data and technical information is based on results achieved under typical application conditions. Recipients of this information should, in their own interest and responsibility, clarify with our Technical department in due time whether or not the data and information apply to the intended application area.

Product Range

Scaffold Protect Tubes Tubes 2m length, Colour yellow

Pipe O/D	Imperial Pipe Size	Insulation Thickness	Reference	Quantity
Nom OD mm	NB inch	MM	Item Code	Carton Contents (m)
48	1 1/2	13	PE-48/13-YE	86 (43 x 2m tubes)
48	1 1/2	09	PE-48/09-YE	120 (60 x 2m tubes)

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. Despite taking every precaution to ensure that said data and technical information are up to date, Armacell does not make any representation or warranty, express or implied, as to the accuracy, content or completeness of said data and technical information. Armacell also does not assume any liability towards any person resulting from the use of said data or technical information. Armacell reserves the right to revoke, modify or amend this document at any moment. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. This document does not constitute nor is part of a legal offer or contract. By ordering/receiving product you accept the **Armacell General Terms and Conditions of Sale** applicable in the region.

At Armacell, your trust means everything to us, so we want to let you know your rights and make it easier for you to understand what information we collect and why we collect it. If you would like to find out about our processing of your data, please visit our **Data Protection Policy**.

© Armacell, 2021. All rights reserved. ArmaLight $^{\text{m}}$ is a trademark of the Armacell Group and is registered in the US and other countries. 00519 | Scaffold Protect | TDS | 042021 | EMEA | EN MA

ABOUT ARMACELL

As the inventors of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal, acoustic and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With 3,100 employees and 24 production plants in 16 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for high-tech and lightweight applications and next generation aerogel blanket technology.

